



for Crystal PV

Spectral region nm	AM1.5G Spectrum W/m ²	tolerable deviation %	WACOM Solar Simulator W/m ²	actual deviation %
400-500	138.7	± 25	165.7	19.4
500-600	151.3	± 25	155.8	3.0
600-700	137.5	± 25	137.6	0.1
700-800	111.6	± 25	107.1	-4.1
800-900	92.0	± 25	83.0	-9.8
900-1100	120.3	± 25	102.3	-15.0
400-1100	751.4		751.4	

for Amorphous PV

Spectral region nm	AM1.5G Spectrum W/m ²	tolerable deviation %	WACOM Solar Simulator W/m ²	actual deviation %
350-400	33.7	± 25	31.9	-5.2
400-450	59.9	± 25	69.2	15.6
450-500	78.9	± 25	85.8	8.8
500-550	77.5	± 25	74.0	-4.6
550-600	73.8	± 25	71.8	-2.6
600-650	72.4	± 25	66.3	-8.4
650-700	65.1	± 25	62.4	-4.2
700-750	58.2	± 25	58.0	-0.4
350-750	519.4		519.4	

* This spectral data is an example from one of the unit delivered to a customer. The data could show small difference among each actual unit.

* このスペクトルデータは、出荷装置の1つのデータです。納入装置と多少の違いが出ることがございます。